

# QUICK SHIP





ASSA ABLOY

# QUICK SHIP

## QUICK SHIP POLICY

### Quick Ship Order Form

Please use the form on page 13 when placing orders for Norton Rixson products.

### Quick Ship Numbers

Quick Ship Numbers must be included on the order form. Orders listing model numbers only will be processed as factory orders.

### Quick Ship/Factory Orders

Quick Ship Product Orders and Factory Orders must be submitted on separate order forms. Any order received having both factory and quick ship products will be processed as a factory order and shipped from the factory at normal lead times.

### Quotes

Quote number must be referenced on the purchase order. Orders without this information will be processed at standard buying programs.

### Minimum Order

Minimum invoice is \$250 net product value.

### Delivery

Lead time is 5 delivery days (from date order is entered). (Consult the current Norton Rixson Price Book for a complete list of Terms & Conditions regarding delivery.) We reserve the right to limit quantities.

### Freight

Customer orders with net product value in excess of \$7,000 will be shipped prepaid by Norton Rixson's carrier of choice to a single destination point in the United States.

### Changes/Cancellations

Due to the promptness of delivery, no changes or cancellations can be accepted. The only exception is when we are out of stock.

### Prices

All shipments will be made at prices prevailing at time of shipment.

### Terms

Invoices dated the 1st through the 15th will be due for 2% discount on the 10th of the following month. Invoices dated the 16th through the 31st will be due for 2% discount on the 25th of the following month. Net immediately thereafter.

**Consult the current Norton Rixson Price Book for a complete list of Terms & Conditions, Tools & Rules and Warranty Information.**

### Customer Service:

Tel: 877-974-2255

### Hours of Operation

8:00 am - 4:30 pm EST

**Orders must be received before 2:30 pm EST for same day processing.**

## TABLE OF CONTENTS

Surface Closers		<u><a href="#">Checkmate® Stops and Holders.....</a></u> <b>10</b>
7500.....	3	1, 2, 6, 9, 10 Series
8000.....	4	
1601, 410.....	5	<u><a href="#">Pivots.....</a></u> <b>11</b>
210, 160.....	6	117, 147, L147, 195, 127-3/4, 128-3/4, 370,
Touch-Up Paint.....	7	340, 180, M19, ML19
<u><a href="#">Overhead Concealed Closers.....</a></u> <b>7</b>		<u><a href="#">Electromagnetic Door Holder Releases.....</a></u> <b>12</b>
91		990M, 996M, 994M, 997M, 998M, 980M,
<u><a href="#">Floor Closers.....</a></u> <b>7</b>		Parts, Accessories
27, 28, Parts, Accessories		<u><a href="#">Quick Ship Order Form.....</a></u> <b>13</b>
<u><a href="#">Low Energy Operators.....</a></u> <b>9</b>		
6341, 6241, 5740, 5800xNPB		

## QUICK SHIP

### SURFACE CLOSERS

#### 7500

Tri-Style® Packaging, Sex Nuts not included

Model #	Description	Finish	Case Quantity	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
<b>Non-Hold Open</b>						
7500	Multi-Size 1-6	689	4	007730	9	15
7500	Multi-Size 1-6	690	4	007736	9	15
<b>Hold Open</b>						
7500H	Multi-Size 1-6	689	4	007733	11	15
<b>Parallel Rigid (Supplied with Sex Nuts)</b>						
<b>Non-Hold Open</b>						
PR7500	Multi-Size 1-6	689	4	007742	11	15
<b>CloserPlus® (Supplied with Sex Nuts)</b>						
<b>Non-Hold Open</b>						
CLP7500	Multi-Size 1-6	689	4	008574	14	15
<b>Hold Open</b>						
CLP7500T	Multi-Size 1-6 x Thumbturn	689	4	008576	14	15
<b>Unitrol® (Supplied with Sex Nuts)</b>						
<b>Non-Hold Open</b>						
UNI7500	Multi-Size 1-6, Door Width 33" - 41"	689	4	008530	11	15
<b>Hold Open</b>						
UNI7500H	Multi-Size 1-6, Door Width 33" - 41"	689	4	008532	11	15
<b>Accessories</b>						
7786	Back Plate	689	—	006996	3	15
7787	Top Jamb Drop Plate	689	—	006998	3	15
7788	Parallel Arm Drop Plate	689	—	007000	4	15
SN-134	Sex Nut Pkg., 1-3/4" Door	689	—	002331	0.2	25
TBGN134-47	Through-Bolt and Grommet Nut Pkg., 1-3/4" Door	689	—	007240	0.2	25

Note: SN-134 - 4 per pack, TBGN134-47 - 4 sets per pack

### PACKED WITH SEX NUTS

Model #	Description	Finish	Case Quantity	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
<b>Non-Hold Open</b>						
7500 x SN	Multi-Size 1-6	689	4	007729	9	15

## 8301/8501

Tri-Style® Packaging, Sex Nuts not included

Model #	Description	Finish	Case Quantity	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
<b>8301 - Slim Line Cover</b>						
Non-Hold Open						
8301	Multi-Size 1-6	689	4	009246	7	15
8301	Multi-Size 1-6	690	4	009247	7	15
Hold Open						
8301H	Multi-Size 1-6	689	4	009249	9	15
<b>8501 - Full Cover</b>						
Non-Hold Open						
8501	Multi-Size 1-6	689	4	009251	8	15
8501	Multi-Size 1-6	690	4	009252	8	15
Hold Open						
8501H	Multi-Size 1-6	689	4	009256	10	15
<b>Parallel Rigid (Supplied with Sex Nuts)</b>						
Non-Hold Open						
PR8501	Multi-Size 1-6	689	4	009257	10	15
<b>CloserPlus® (Supplied with Sex Nuts)</b>						
Non-Hold Open						
CLP8501	Multi-Size 1-6	689	4	009258	9	15
Hold Open						
CLP8501T	Multi-Size 1-6 x Thumbturn	689	4	009260	10	15
<b>8301 - Slim Line Cover</b>						
Non-Hold Open						
8301 x SN	Multi-Size 1-6	689	4	009160	7	15
<b>8501 - Full Cover</b>						
Non-Hold Open						
8501 x SN	Multi-Size 1-6	689	4	008979	8	15
8501 x SN	Multi-Size 1-6	690	4	008977	8	15
Hold Open						
8501H x SN	Multi-Size 1-6	689	4	008978	10	15
<b>Accessories</b>						
8200P	Slim Line Cover	689	—	009090	0.5	15
8146	Drop Plate (Narrow Top Rail)	689	—	009096	2	15
8148	Drop Plate	689	—	009099	2	15
SN-134	Sex Nut Pkg., 1-3/4" Door	689	—	002331	0.2	25
TBGN134-38	Through-Bolt and Grommet Nut Pkg., 1-3/4" Door	689	—	007228	0.2	25

Note: SN-134 - 4 per pack, TBGN134-38 - 4 sets per pack

## QUICK SHIP

### 1601

Tri-Style® Packaging, Sex Nuts not included

Model #	Description	Finish	Case Quantity	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
<b>Non-Hold Open</b>						
1601	Multi-Size 1-6	689	6	008384	7	30
1601	Multi-Size 1-6	690	6	008376	7	30
<b>Hold Open</b>						
1601H	Multi-Size 1-6	689	6	008388	9	30
<b>Accessories</b>						
1688	Drop Plate	689	—	008557	2	15
SN-134	Sex Nut Pkg., 1-3/4" Door	689	—	002331	0.2	25
TBGN134-38	Through-Bolt and Grommet Nut Pkg., 1-3/4" Door	689	—	007228	0.2	25

Note: SN-134 - 4 per pack, TBGN134-38 - 4 sets per pack

### 410

Tri-Style® Packaging (TPN, TPH), Sex Nuts Included

Model #	Description	Finish	Case Quantity	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
<b>Non-Hold Open</b>						
410 x TPN	Multi-Size 1-6	689	3	015240	12	40
410 x TPN	Multi-Size 1-6	690	3	015241	12	40
<b>Hold Open</b>						
410 x TPH	Multi-Size 1-6	689	3	015242	12	40
410 x TPH	Multi-Size 1-6	690	3	015243	12	40
<b>Heavy-Duty Arm, Non-Hold Open</b>						
410 x HDN	Multi-Size 1-6, Arm has Removable Stop	689	4	015244	14	40
410 x HDN	Multi-Size 1-6, Arm has Removable Stop	690	4	015245	14	40
410 x CPS	Multi-Size 1-6, Arm has Removable Stop & Spring Buffer	689	4	015262	14	40
410 x CPS	Multi-Size 1-6, Arm has Removable Stop & Spring Buffer	690	4	015263	14	40
<b>Heavy-Duty Arm, Hold Open</b>						
410 x HDH	Multi-Size 1-6, Arm has Removable Stop	689	4	015246	14	40
410 x HDH	Multi-Size 1-6, Arm has Removable Stop	690	4	015247	14	40
410 x CPST	Multi-Size 1-6, Arm has Removable Stop & Spring Buffer	689	4	015264	14	40
410 x CPST	Multi-Size 1-6, Arm has Removable Stop & Spring Buffer	690	4	015265	14	40
<b>Accessories</b>						
SP410	Screw Pack	689	—	015254	0.2	40
SP410	Screw Pack	690	—	015255	0.2	40
SN-134	Sex Nut Pkg., 1-3/4" Door	689	—	002331	0.2	25
TBGN134-47	Through-Bolt and Grommet Nut Pkg., 1-3/4" Door	689	—	007240	0.2	25

## 210

Tri-Style® Packaging (TPN, TPH), Sex Nuts included

Model #	Description	Finish	Case Quantity	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
<b>Non-Hold Open</b>						
210 x TPN	Multi-size 1-6	689	6	015000	6.5	40
210 x TPN	Multi-size 1-6	690	6	015001	6.5	40
<b>Hold Open</b>						
210 x TPH	Multi-size 1-6	689	4	015002	6.5	40
210 x TPH	Multi-size 1-6	690	4	015003	6.5	40
<b>Heavy-Duty Arm, Non-Hold Open</b>						
210 x HDN	Multi-size 1-6	689	4	015006	7.75	40
210 x HDN	Multi-size 1-6	690	4	015007	7.75	40
<b>Heavy-Duty Arm, Hold Open</b>						
210 x HDH	Multi-size 1-6	689	4	015008	7.75	40
210 x HDH	Multi-size 1-6	690	4	015009	7.75	40
<b>Accessories</b>						
SN-134	Sex Nut Pkg., 1-3/4" Door	689	—	002331	0.2	25
TBGN134-38	Through-Bolt and Grommet Nut Pkg., 1-3/4" Door	689	—	007228	0.2	25

Note: SN-134 - 4 per pack, TBGN134-38 - 4 sets per pack

## 160

Tri-Style® Packaging, Sex Nuts included

Model #	Description	Finish	Case Quantity	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
<b>Non-Hold Open</b>						
161BF x TPN	Multi-size 1-6	689	6	015044	6	40
161BF x TPN	Multi-size 1-6	690	6	015045	6	40
164 x TPN	Size 4	689	6	015046	6	40
164 x TPN	Size 4	690	6	015047	6	40
<b>Hold Open</b>						
161BF x TPH	Multi-size 3-6	689	6	015048	6	40
161BF x TPH	Multi-size 3-6	690	6	015049	6	40
<b>Accessories</b>						
SN-134	Sex Nut Pkg., 1-3/4" Door	689	—	002331	0.2	25
TBGN134-38	Through-Bolt and Grommet Nut Pkg., 1-3/4" Door	689	—	007228	0.2	25

Note: SN-134 - 4 per pack, TBGN134-38 - 4 sets per pack

## QUICK SHIP

### CLOSER TOUCH-UP PAINT

Model #	Description	Finish	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
1A	Aluminum	689	007781	1	15
5S	Dark Statuary Bronze	690	007786	1	15
2BZ	Light Bronze	691	007787	1	15
6SB	Satin Brass	696	007788	1	15
7BSP	Black Suede	BSP	007789	1	15

### OVERHEAD CONCEALED CLOSERS

Model #	Description	Hand	Finish	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
91N	Offset Hung, Non-Hold Open, Dress Cover Plate Included	RH	689	015710	14	5
91N	Offset Hung, Non-Hold Open, Dress Cover Plate Included	LH	689	015711	14	5
91N	Offset Hung, Non-Hold Open, Dress Cover Plate Included	RH	690	015712	14	5
91N	Offset Hung, Non-Hold Open, Dress Cover Plate Included	LH	690	015713	14	5

### COMPLETE FLOOR CLOSER

Model #	Description	Hand	Finish	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
<b>27 Series 3/4" Offset (Includes closer, cement case, top pivot &amp; cover plate)</b>						
2790SHO	90° Selective Hold Open	RH	626	009777	28	5
2790SHO	90° Selective Hold Open	LH	626	009778	28	5
<b>28 Series Center Hung, Single Acting (Includes closer, cement case, top pivot &amp; cover plate)</b>						
2890SHO	90° Selective Hold Open	RH	626	009781	28	5
2890SHO	90° Selective Hold Open	LH	626	009782	28	5

**CLOSER LESS ALL PARTS**

Model #	Description	Hand	Finish	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
<b>27 Series, 3/4" Offset</b>						
2790SHO LAP	90°, Selective Hold Open	RH	N/A	009792	20	5
2790SHO LAP	90°, Selective Hold Open	LH	N/A	009793	20	5
2790NHO LAP	90°, Non-Hold Open	RH	N/A	009794	20	5
2790NHO LAP	90°, Non-Hold Open	LH	N/A	009795	20	5
27105SHO LAP	105°, Selective Hold Open	RH	N/A	009918	20	5
27105SHO LAP	105°, Selective Hold Open	LH	N/A	009919	20	5
27105NHO LAP	105°, Non-Hold Open	RH	N/A	009916	20	5
27105NHO LAP	105°, Non-Hold Open	LH	N/A	009917	20	5
<b>28 Series - Center Hung, Single Acting</b>						
2890SHO LAP	90°, Selective Hold Open	RH	N/A	009940	20	5
2890SHO LAP	90°, Selective Hold Open	LH	N/A	009941	20	5
2890NHO LAP	90°, Non-Hold Open	RH	N/A	009942	20	5
2890NHO LAP	90°, Non-Hold Open	LH	N/A	009943	20	5
28105SHO LAP	105°, Selective Hold Open	RH	N/A	009955	20	5
28105SHO LAP	105°, Selective Hold Open	LH	N/A	009956	20	5
28105NHO LAP	105°, Non-Hold Open	RH	N/A	009957	20	5
28105NHO LAP	105°, Non-Hold Open	LH	N/A	009958	20	5
<b>Parts and Accessories</b>						
252050R4	27 Arm Pkg.	RH	626	009953	2	5
252050L4	27 Arm Pkg.	LH	626	009954	2	5
274750R4	27 Floor Plate Pkg. (SHO)	RH	626	009861	1	5
274750L4	27 Floor Plate Pkg. (SHO)	LH	626	009862	1	5
180	Top Pivot (for 27 closer)	N/A	626	009946	1	5
282026-4	28 Arm Pkg.	N/A	626	009949	3	5
284720R4	28 Floor Plate Pkg. (SHO)	RH	626	009863	1	5
284720L4	28 Floor Plate Pkg. (SHO)	LH	626	009864	1	5
340	Top Pivot (for 28 closer)	N/A	626	009945	2	5
253000	Cement Case (for 25, 26, 27 & 28 Series)	N/A	N/A	009787	1	5



## QUICK SHIP

### LOW ENERGY OPERATORS

Model #	Description	Finish	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
<b>6300 Series</b>					
6341	Universal unit (includes push and pull arms)	689	015511	28	2
6341	Universal unit (includes push and pull arms)	BSP	015536	28	2
<b>6200 Series</b>					
6241	Universal unit (includes push and pull arms)	689	015537	28	2
6241	Universal unit (includes push and pull arms)	BSP	015538	28	2
<b>5700 Series</b>					
5740	Universal unit (includes push and pull arms)	689	015391	21	2
5740	Universal unit (includes push and pull arms)	BSP	015397	21	2
<b>5800 Series</b>					
5845xNPB	Push or pull side, narrow wall switches, ADA1015P kit, black and aluminum finish covers	693Tx689	015208	20	2
5845xNPB	Push or pull side, narrow wall switches, ADA1015P kit, black and aluminum finish covers	693Tx689	015209	20	2

**CHECKMATE® STOPS AND HOLDERS**

Model #	Description	Finish	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
1-136	HD Concealed Stop	630	009737	5	5
1-236	HD Concealed Stop	630	009738	5	5
1-336	HD Concealed Stop	652	009730	5	5
1-326	HD Concealed Holder	630	009714	5	5
1-336	HD Concealed Stop	630	009715	5	5
1-436	HD Concealed Stop	630	009731	5	5
1-536	HD Concealed Stop	630	009739	5.5	5
2-336	Std Concealed Stop	652	009705	2	5
2-136	Std Concealed Stop	630	009740	2	5
2-236	Std Concealed Stop	630	009741	2	5
2-336	Std Concealed Stop	630	009706	2	5
2-436	Std Concealed Stop	630	009742	2	5
2-536	Std Concealed Stop	630	009743	2.5	5
2-346	Std Adjustable Combo	630	009718	3	5
6-336	LP Concealed Stop	630	009825	3	5
9-326	HD Surface Holder	652	009707	5	5
9-326	HD Surface Holder	630	009721	5	5
9-336	HD Surface Stop	652	009708	5	5
9-136	HD Surface Stop	630	009790	5	5
9-236	HD Surface Stop	630	009791	5	5
9-336	HD Surface Stop	630	009722	5	5
9-436	HD Surface Stop	630	009744	5	5
9-536	HD Surface Stop	630	009811	5.5	5
10-136	Std Surface Stop	652	009828	2	5
10-236	Std Surface Stop	652	009724	2	5
10-336	Std Surface Stop	652	009702	2	5
10-136	Std Surface Stop	630	009703	2	5
10-236	Std Surface Stop	630	009728	2	5
10-336	Std Surface Stop	630	009729	2	5
10-346	Std Adjustable Combo	689	009720	3	5
10-346	Std Adjustable Combo	630	009719	3	5
10-436	Std Surface Stop	630	009704	2	5
10-536	Std Surface Stop	630	009727	2.5	5

## QUICK SHIP

### PIVOTS

Model #	Description	Hand	Finish	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
<b>3/4" Offset Pivot Sets (Includes Top Pivot)</b>						
117	Regular	RH	626	009800	3	5
117	Regular	LH	626	009801	3	5
117	Regular	RH	625	009802	3	5
117	Regular	LH	625	009803	3	5
117	Regular	RH	605	009804	3	5
117	Regular	LH	605	009805	3	5
117	Regular	RH	613	009806	3	5
117	Regular	LH	613	009807	3	5
147	Regular	RH	626	009813	3	5
147	Regular	LH	626	009814	3	5
147	Regular	RH	625	009815	3	5
147	Regular	LH	625	009816	3	5
147	Regular	RH	613	009819	3	5
147	Regular	LH	613	009820	3	5
L147	Lead 1-3/4" Door	RH	626	009823	3	5
L147	Lead 1-3/4" Door	LH	626	009824	3	5
195	Regular	RH	626	009826	3	5
195	Regular	LH	626	009827	3	5
<b>Center Hung Pivot Sets (Includes Top Pivot)</b>						
128-3/4	Medium Duty	N/A	626	009829	3	5
128-3/4	Medium Duty	N/A	625	009796	3	5
128-3/4	Medium Duty	N/A	605	009797	3	5
128-3/4	Medium Duty	N/A	613	009701	3	5
370	Heavy Duty	N/A	626	009831	3	5
127-3/4	Medium Duty	N/A	626	009799	3	5
<b>Top Pivots</b>						
340	Center Hung Top Pivot	N/A	626	009945	3	5
340	Center Hung Top Pivot	N/A	613	009948	3	5
180	Offset Top Pivot	N/A	626	009946	1	5
180	Offset Top Pivot	N/A	613	009944	1	5
180	Offset Top Pivot	N/A	625	009947	1	5
<b>Intermediate Pivots</b>						
M19	Regular	RH	626	009839	3	5
M19	Regular	LH	626	009840	3	5
M19	Regular	RH	613	009845	3	5
M19	Regular	LH	613	009846	3	5
ML19	Heavy Duty	RH	626	009855	3	5
ML19	Heavy Duty	LH	626	009856	3	5

**ELECTROMAGNETIC DOOR HOLDER/RELEASES**

Model #	Description	Finish	Quick Ship #	Approx. Weight (Each) lbs.	Maximum Quantity
<b>Triple Voltage Door Holders (12vDC, 24vAC/DC and 120vAC)</b>					
990M	Low Profile Concealed Wiring	689	009930	2	5
996M	Surface Wired	689	009932	2	5
994M	Adjustable Short Armature Concealed Wiring	689	009997	2	5
997M	Short Armature Concealed Wiring	689	009933	2	5
998M	Long Armature Concealed Wiring	689	009934	2	5
998M	Long Armature Concealed Wiring	690	009935	2	5
980M	Floor Mounted	689	009936	3	5
<b>Parts and Accessories</b>					
996369	996 Magnet/Bracket Assembly	N/A	009937	1	5
998369	997/998 Magnet/Bracket Assembly	N/A	009938	1	5
997510-A	Short Armature Housing Assembly	689	009904	1	5
998512-A	Long Armature Housing Assembly	689	009905	1	5
996XK	Wall Portion Extension (1-1/2")	689	009906	1	5
<b>Armature Extensions</b>					
900	Base Unit	689	009733	1	5
900-50	*1/2" Armature	689	009736	1	5
900-75	*3/4" Armature	689	009735	1	5
900-100	*1" Armature	689	009734	1	5
900Z	*Armature Extension 90° Bend (1-1/2")	689	009732	1	5

\*Extension spacers and bend spacers must be used with 900 base unit armature extension

**QUICK SHIP****QUICK SHIP ORDER FORM**

Account #		P.O.#		P.O. Date	
<input type="checkbox"/> Buying Program		<input type="checkbox"/> CPQ # (or faxed copy of CPQ submitted with this form)			
Company Name:			Ship To:		
Address:			Address:		
City:	State:	Zip:	City:	State:	Zip:
Buyer:			Attn:		
Contact Person:					
Phone #:			Ship Via:		
Fax #:			Markings:		
Qty.	Quick Ship #	Description	Comments		

The ASSA ABLOY Group is the global leader in access solutions.  
Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.

---



**ASSA ABLOY**

---

Since 1880, Norton Rixson door controls have been an integral part of schools, hospitals and businesses around the globe. When you need products and people that perform at the highest level, rely on Norton Rixson – From Open to Close.

**NORTON RIXSON | [WWW.NORTONRIXSON.COM](http://WWW.NORTONRIXSON.COM)**

3000 Highway 74 East | Monroe, NC 28112 | Tel: 1 877 974 2255

**ASSA ABLOY OPENING SOLUTIONS DOOR SECURITY SOLUTIONS CANADA | [WWW.ASSAABLOYDSS.CA](http://WWW.ASSAABLOYDSS.CA)**

160 Four Valley Drive | Vaughan, Ontario, L4K 4T9 Canada | Tel: 800 461 3007

Copyright © 2012-2023, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

43504-10/23